



EXQUISITE LUXURY VINYL FLOORING FOR YOUR HOME



- Elegance - A U R A

EXQUISITE LUXURY VINYL FLOORING FOR YOUR HOME

Elegance Aura is an exquisite collection of luxury vinyl tiles, designed to harmonise beautiful, practical flooring solutions with multiple creative possibilities. The range, composed by a team of design experts has been developed to complement every room in your home. Featuring twelve timber decorations, the elegant designs perfectly replicate intricate knots and grains of natural wood planks, introducing an authentic element to your interior.


Enhanced by an array of inlay accessories and parquet planks, the layouts and bespoke design floors you can create are limitless.

Meeting the highest demands of modern living with ease, every plank within the Elegance Aura collection features a durable polyurethane surface treatment to help maintain its good looks. You can be assured your floor will look beautiful for years to come.





Coastal Limed Oak | 3807




Straight Laid






Blonde Oak | 3477



Straight Laid with Single Plank Border

VINTAGE GREY TIMBER






Vintage Grey Timber | 3474



Straight Laid






Parkland Oak | 3804



Full Plank Herringbone

RICHMOND OAK





Richmond Oak | 3805



Straight Laid

TRADITIONAL GREY OAK





Traditional Grey Oak | 3037



Straight Laid

TRADITIONAL GREY OAK PARQUET




Traditional Grey Oak Parquet | 3801

Parquet Size: 76.2 x 228.6 mm


Single Plank Parquet with Double Plank Border (Traditional Grey Oak 3037) and Gold Feature Strip








Beaumont Oak | 3803




Single Tram Line

CHRISTCHURCH OAK





Christchurch Oak | 3481



Full Plank Herringbone

CHRISTCHURCH OAK PARQUET




Christchurch Oak Parquet | 3802

Parquet Size: 76.2 x 228.6 mm

Wood Block Parquet








Columbus Oak | 3075



Straight Laid





Edwardian Oak | 3806



Straight Laid

THE COLLECTION

Only the most beautiful designs have been selected for the exclusive Elegance Aura collection, from traditional to contemporary there is a floor to suit every interior.



*Parquet available, see next page

29



Inspired by the beauty of traditional wood parquet flooring, Elegance Aura now complements even more interior schemes with the addition of two exquisite parquet design floors. Traditional yet contemporary, parquet is an elegant choice throughout the home now with the ease, simplicity and practicality of Luxury Vinyl Tiles.



Christchurch Oak Parquet | 3802

Parquet Size: 76.2 x 228.6 mm



The Elegance Aura parquets can be arranged in a plethora of patterns to complement your interior and home. The line drawings illustrate eye-catching designs which can be achieved out of the box, with no cutting required. For even more choice, try teaming the stunning parquets with their matching full-length planks, ideal for open plan living or to highlight intricate room features.



Wood Block Parquet



ACCESSORIES

If you are looking to create some bespoke detailing or to give your floor a truly personalised layout we can help you achieve your design visions with our range of coordinating inlay accessories.

Developed to enhance your chosen floor, be as creative as you wish the possibilities are limitless.

Marquetry Strips Strip Size: 3 x 914 mm Maple | 2056 Natural Oak | 2057 Classic Oak | 2058 Walnut | 2059 **Grouting Strips** Strip Size: 3 x 914 mm Ice | 2031 Pearl | 2033 Grey | 2035 Coffee | 2037 Graphite | 2039 Feature Strips Strip Size: 5 x 1000 mm Gold | 0026 Silver | 0025 Black | 0028 Cream | 0032 Brown | **0031**

Please Note: As the Grouting and Marquetry strips are cut from authentically replicated wood and stone designs, there will be variation in markings and decoration.

FLOOR CARE To ensure your new Elegance Aura floor stays looking at its best, we recommend you refer to the below maintenance guidelines to retain optimum appearance. Avoid dragging furniture across your floor, this Install entrance mats by exterior doors to collect may damage the surface. loose dirt and grit. Regularly trim your pet's claws to help avoid Ensure the floor cleanser is diluted as per the manufacturer's instructions. scratching. Insert protective pads and cups under furniture Sweep or vacuum your floor daily. to protect your floor from indentations and Address spillages as quickly as possible to reduce risk of staining and slip hazards. Use fresh mops and neutral cleansing solutions to clean your floor. Remember to collect and dispel all Avoid cleaning the floor with solvents, caustic detergents, washing up liquids, soap powders, excess fluid into your mop bucket. bleach, furniture polishes, petroleum based Do not use abrasive liquids or metal scouring pads products, pine gels, stain removers or highly coloured products. Such products may make the to clean your floor. floor slippery or cause permanent damage.

TECHNICAL DETAILS

The following table displays the key technical details of the Elegance Aura collection. If you would like further information please contact us on **0345 899 1000**.

	Elegance Aura		
Type of floor covering EN 649 / EN ISO 10582	Heterogeneous, PVC		
Surface treatment	Polyurethane (PU)		
Total weight EN 430 / EN ISO 23997	3,600 g/m²		
Performance classification EN 685 / EN ISO 10874	23, 31		
Gauge EN 428 / EN ISO 24346	2.0mm		
Wear layer thickness EN 429 / EN ISO 24340	0.3mm		
Plank size EN 427 / EN ISO 24342 and packaging details	15 @ 184.2 x 1219.2mm = 3.37m ²		
Parquet size EN 427 / EN ISO 24342 and packaging details	192 @ 76.2 x 228.6mm = 3.34m ²		
Residual indentation EN 433 / ISO 24343-1	≤ 0.05mm		
Abrasion resistance EN 649 / EN ISO 10582	Group T Type 1		
Dimensional stability EN 434 / EN ISO 23999	≤ 0.1% max		
Colour fastness to artificial light*	Level ≥ 6 ISO 105-B02 method 3		
Behaviour to fire EN 13501-1	BfI - S1		
Slip resistance	EN 13893 Class DS (Dry condition) DIN 51130 R10 AS/NZS 4586 R10		
VOC emissions	AgBB - Very low emissions		
Chemical resistance EN 423 / EN ISO 26987	**		
Castor chair suitability EN 425 / ISO 4918	Suitable, type W, EN 12529		
Underfloor heating suitability EN 1264-2	Suitable, max. 27° C		



- * We recommend that adequate UV protection be taken against products being installed in direct sunlight as fading may occur.
- ** Resistant depending on concentration and time of exposure. In case of increased impact of oils, grease, acids, alkalis and other aggressive chemicals, please contact us.